TP-LINK[®]

Archer C5 AC1200 Wireless Dual Band Gigabit Router

• Features:

- The next generation of Wi-Fi, leading 802.11ac standard
- Simultaneous 5GHz 867Mbps and 2.4GHz 300Mbps connections for 1.2Gbps of total available bandwidth
- Full gigabit ports ensure ultra fast data transfer speeds
- 3*5dBi external antennas and 3 internal antennas provide maximum whole directional wireless coverage and reliability
- Dual USB Ports easily share printers, files or media with your friends or family locally or over the internet
- The device's built-in print server supports wireless printing from different computers by connecting a USB printer to the router
- Guest Network Access provides secure Wi-Fi access for guests
 sharing your home or office network
- Supports IPv6 (Internet Protocol Version 6)
- Wireless On/Off Switch lets you simply turn the wireless radio on or off
- Easy one-touch wireless security encryption with the WPS button
- Parental Control allows administrators to establish restricted access for children or staff

• Description:

TP-LINK 990 AC 1200 5+2.4GHz Up to Maximum Dual Gigabit Security IPv6 **Dual Band** 867Mbps Range **USB** Ports Connection Enabled Ports +300Mbps

The TP-LINK's Archer C5 upgrades your network to the next generation of Wi-Fi. With combined wireless speeds of up to 1.2Gbps and 6 antennas, the device provides ultra-fast speeds and wireless range. You can run multiple bandwidth intensive applications in a large home or office. Simple tasks like sending e-mails or web browsing can be handled by the 2.4GHz band while bandwidth intensive tasks like online gaming or HD video streaming can be processed by the 5GHz band– all at the same time.

If you prefer a wired connection, the Archer C5 boasts five gigabit ports to provide a lightning-fast and lag-free experience. The two USB 2.0 ports will allow you to power a robust home Internet network by sharing printers, flash storage, ftp servers, or media players.

www.tp-link.com

• Specifications:

HARDWARE FEATURES	
Interface	4 10/100/1000Mbps LAN Ports 1 10/100/1000Mbps WAN Port 2 USB 2.0 Port
Button	WPS/Reset Button Wireless On/Off Switch Power On/Off Button
External Power Supply	12VDC / 2.5A
Antenna type	3 * 5GHz 5dBi detachable antennas (RP-SMA)
	3 * 2.4GHz internal antennas
WIRELESS FEATURES	
Wireless Standards	IEEE 802.11a/n/ac, 5GHz
F	IEEE 802.11b/g/n, 2.4GHz
Frequency	2.4GHz and 5GHz
Signal Rate	5GHz: Up to 867Mbps
	2.4GHz: Up to 300Mbps <20dBm
EIRP Reception Sensitivity	5GHz 11a 6Mbps: -96dBm, 11a 54Mbps: -79dBm 11ac HT20: -71dBm, 11ac HT40: -66dBm, 11ac HT80: -63dBm, 11n HT20: -72dBm, 11n HT40: -71dBm
	2.4GHz 11g 54M: -77dBm 11n HT20: -74dBm, 11n HT40: -72dBm Epoble/Dicable Wireless Padie WDS Bridge WMM Wireless Statistics
Wireless Functions	Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics
Wireless Security SOFTWARE FEATURES	WEP, WPA / WPA2, WPA-PSK/ WPA2-PSK encryption
	Dynamic IP/Static IP/PPPoE/PPTP(Dual Access)/L2TP(Dual Access)/BigPond
WAN Type	
DHCP	Server, Client, DHCP Client List, Address Reservation
Quality of Service	WMM, Bandwidth Control
Port Forwarding	Virtual Server, Port Triggering, UPnP, DMZ
Dynamic DNS	DynDns, Comexe, NO-IP
VPN Pass-Through	PPTP, L2TP, IPSec
Access Control	Parental Control, Local Management Control, Host List, Access Schedule, Rule Management
Firewall Security	DoS, SPI Firewall IP Address Filter/MAC Address Filter/Domain Filter IP and MAC Address Binding
USB Sharing	Support Samba(Storage)/FTP Server/Media Server/Printer Server
Management	Access Control Local Management Remote Management
Internet Protocol	IPv4, IPv6

www.tp-link.com

• Specifications:

OTHERS	
Certifications	CE, FCC, RoHS
System Requirements	Microsoft Windows 8/7/Vista/XP/2000/NT/98SE, MAC OS, NetWare,
	UNIX or Linux.
Dimensions (W X D X H)	9.6 x 6.4 x 1.3 in. (243 x 160.6 x 32.5mm)
Environment	Operating Temperature: 0°C~40°C (32°F~104°F)
	Storage Temperature: -40°C~70°C (-40°F~158°F)
	Operating Humidity: 10%~90% non-condensing
	Storage Humidity: 5%~90% non-condensing

• Diagram:



Package:

- Archer C5 AC1200 Wireless Dual Band Gigabit Router
- 3 detachable antennas
- Power supply unit
- Resource CD
- Ethernet Cable
- Quick Installation Guide

Related Products:

- Archer T4U AC1200 Wireless Dual Band USB Adapter
- Archer T2U AC600 Wireless
 Dual Band USB Adapter

www.tp-link.com